

Index page

ESSJ010I

Section	Page description	Additional field page	Date	Designer	X
=DOC/1	MAIN PAGE		22. Nov. 2018	ALE	
=DOC/20	CONTENTS PAGES		08. Dic. 2018	ALE	x
=DOC/20a	CONTENTS PAGES		08. Dic. 2018	ALE	
=DOC/30	COMPONENT LIST AND CODES		23. Nov. 2018	ALE	
=DOC/31	COMPONENT LIST AND CODES		08. Dic. 2018	ALE	
=DOC/32	COMPONENT LIST AND CODES		08. Dic. 2018	ALE	
=DOC/33	COMPONENT LIST AND CODES		08. Dic. 2018	ALE	
=DOC/34	COMPONENT LIST AND CODES		22. Nov. 2018	ALE	
=QE/1	GENERAL SUPPLY		08. Dic. 2018	ALE	
=QE/2	AUXILIARY		08. Dic. 2018	ALE	
=QE/5	POWER SUPPLY 24VDC		08. Dic. 2018	ALE	
=QE/7	DRYER SUPPLY		24. Nov. 2018	ALE	
=QE/8	AUXILIARY		08. Dic. 2018	ALE	
=QE/9	ES6 ATLAS COPCO		08. Dic. 2018	ALE	
=QE/10	GATEWAY ATLAS COPCO		08. Dic. 2018	ALE	
=QE/14	24VDC AUXILIARY POWER SUPPLIES		08. Dic. 2018	ALE	
=QE/15	AIR ELECTROVALVE		08. Dic. 2018	ALE	
=QE/16	DRYER CONTROLS		22. Nov. 2018	ALE	
=QE/18	NETWORK LAYOUT		08. Dic. 2018	ALE	
=QE/19	NETWORK LAYOUT		08. Dic. 2018	ALE	
=QE/20	OPERATOR PANEL		08. Dic. 2018	ALE	
=QE/21	CPU PLC		08. Dic. 2018	ALE	
=QE/22	CPU PLC		08. Dic. 2018	ALE	
=QE/30	ANALOGUE INPUTS		08. Dic. 2018	ALE	
=QE/31	ANALOGUE INPUTS		08. Dic. 2018	ALE	
=QE/32	ANALOGUE INPUTS		08. Dic. 2018	ALE	
=QE/40	DIGITAL INPUTS		23. Nov. 2018	ALE	
=QE/41	DIGITAL INPUTS		08. Dic. 2018	ALE	
=QE/42	DIGITAL INPUTS		08. Dic. 2018	ALE	
=QE/50	DIGITAL OUTPUTS		08. Dic. 2018	ALE	

20a												31
			Data		2018/0757 IMPIANTO SKID	R. E. M. SRL	COMPONENT LIST AND CODES	2018/0757		=DOC		
			Diseg.	ALE						+		
			Plot.	02. Mar. 2019								
Modifiche	Data	Nome	Norm.					RIEM SERVICE SRL			Pag. 30	
											35	

30


			Data		2018/0757 IMPIANTO SKID		R. E. M. SRL	COMPONENT LIST AND CODES	2018/0757		=DOC	
			Diseg.	ALE					RIEM SERVICE SRL		+	
			Plot.	02. Mar. 2019							Pag. 31	
Modifiche	Data	Nome	Norm.									35


0	1	2	3	4	5	6	7	8	9
SIGLA	DESCRIZIONE				MARCA	CODICE		POSIZIONE	
=QE-UV007	SOLENOID VALVE								
=QE-200P	OPERATOR PANEL				SIEMENS	6AV2123-2GB03-0AX0			
=QE-CPU	CPU				VIPA	015-CEFPR01 + 955-C000M00			
=QE-AI1	ANALOGUE INPUT MODULE				VIPA	031-1B040			
=QE-30PR1	PRESSURE TRANSMITTER				ENDRESS	PMP51			
=QE-30PR2	PRESSURE TRANSMITTER				ENDRESS	PMP51			
=QE-30PR3	PRESSURE TRANSMITTER				ENDRESS	PMP51			
=QE-30PR4	PRESSURE TRANSMITTER				ENDRESS	PMP51			
=QE-AI2	ANALOGUE INPUT MODULE				VIPA	031-1B040			
=QE-31PR1	PRESSURE TRANSMITTER				ENDRESS	PMP51			
=QE-31TR2	TEMPERATURE TRANSMITTER				ENDRESS	TR11			
=QE-31TR3	TEMPERATURE TRANSMITTER				ENDRESS	TR11			
=QE-31TR4	TEMPERATURE TRANSMITTER				ENDRESS	TR11			


0	1	2	3	4	5	6	7	8	9
SIGLA	DESCRIZIONE				MARCA	CODICE		POSIZIONE	
=QE-AI3	ANALOGUE INPUT MODULE				VIPA	031-1B040			
=QE-32TDI	DEW-POINT TRANSMITTER				MICHELL	EASYDEW			
=QE-32PR1	FLOW METER TRANSMITTER				EMERSON	8800			
=QE-DI1	DIGITAL INPUT MODULE				VIPA	021-1BF00			
=QE-DI2	DIGITAL INPUT MODULE				VIPA	021-1BF00			
=QE-41T1	THERMOSTAT				ETA	WI282			
=QE-ZSH007	LIMIT SWITCH								
=QE-ZSL007	LIMIT SWITCH								
=QE-DI3	DIGITAL INPUT MODULE				VIPA	021-1BF00			
=QE-LSH001	LEVEL SWITCH								
=QE-DO1	DIGITAL OUTPUT MODULE				VIPA	022-1BF00			
=QE-50R1	RELAY				PHOENIX CONTACT	RIF-1-RPT-LDP			
=QE-50H1	RED LAMP				SCHNEIDER	XB4BV84			
=QE-50R2	RELAY				PHOENIX CONTACT	RIF-1-RPT-LDP			


0	1	2	3	4	5	6	7	8	9
SIGLA	DESCRIZIONE				MARCA	CODICE		POSIZIONE	
=QE-51R1	RELAY				PHOENIX CONTACT	RIF-1-RPT-LDP			
=QE-51R2	RELAY				PHOENIX CONTACT	RIF-1-RPT-LDP			
=QE-51R3	RELAY				PHOENIX CONTACT	RIF-1-RPT-LDP			
=QE-51R4	RELAY				PHOENIX CONTACT	RIF-1-RPT-LDP			
=QE-51R5	RELAY				PHOENIX CONTACT	RIF-1-RPT-LDP			
=QE-51R6	RELAY				PHOENIX CONTACT	RIF-1-RPT-LDP			
=DR_1-10F1	BIPOLAR FUSE HOLDER				SCHNEIDER	DF102			
=DR_1-10AL1	POWER SUPPLY				PHOENIX	2902992			
=DR_1-10AL2	POWER SUPPLY				OMRON	S8VK-C24024			
=DR_1-10A1	FREE AVD6200/C				ELIWELL	AVD6200050500			
=DR_1-10A2	BOARD				PARKER HANNIFIN	004601JK001			
=DR_1-10A3	GATEWAY PROFIBUS				HILSCHER	NT 100-DP-RS			
=DR_2-10F1	BIPOLAR FUSE HOLDER				SCHNEIDER	DF102			
=DR_2-10AL1	POWER SUPPLY				PHOENIX	2902992			


0	1	2	3	4	5	6	7	8	9
SIGLA	DESCRIZIONE				MARCA	CODICE		POSIZIONE	
=DR_2-10AL2	POWER SUPPLY				OMRON	S8VK-C24024			
=DR_2-10A1	FREE AVD6200/C				ELIWELL	AVD6200050500			
=DR_2-10A2	BOARD				PARKER HANNIFIN	004602JK001			
=DR_2-10A3	GATEWAY PROFIBUS				HILSCHER	NT 100-DP-RS			
=DR_3-10F1	BIPOLAR FUSE HOLDER				SCHNEIDER	DF102			
=DR_3-10AL1	POWER SUPPLY				PHOENIX	2902992			
=DR_3-10AL2	POWER SUPPLY				OMRON	S8VK-C24024			
=DR_3-10A1	FREE AVD6200/C				ELIWELL	AVD6200050500			
=DR_3-10A2	BOARD				PARKER HANNIFIN	004603JK001			
=DR_3-10A3	GATEWAY PROFIBUS				HILSCHER	NT 100-DP-RS			













DRYER 1
004601JK001


DRYER 2
004602JK001


DRYER 3
004603JK001


DRYER CONTROL












SPARE

PRESSUR TRANSMITTER
(0-16 BAR)
6005004600PT014

PRESSUR TRANSMITTER
(0-16 BAR)
6005004600PT015

PRESSUR TRANSMITTER
(0-16 BAR)
6005004600PT016

			Data		2018/0757	R. E. M. SRL	ANALOGUE INPUTS	2018/0757	=QE	
			Diseg.	ALE					+	
			Plot.	02. Mar. 2019	IMPIANTO SKID			RIEM SERVICE SRL		Pag. 30
Modifiche	Data	Nome	Norm.							101



=QE-
001
+QE

OUTPUT BYTE: 10

TYPE: 022-1BF00

PART 1 OF 1

VIPA

A10. 0	. 1	. 2	. 3	. 4	. 5	. 6	. 7
○ 1	○ 5	○ 2	○ 6	○ 3	○ 7	○ 4	○ 8

