

MOD

15503

ANW 10

[illegible]

VISTO ACQUISTI



R.E.M. s.r.l.

Via Ferruccio, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email: info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Rägister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commesso: 2021/0624
NUM. REM. 15503

Measurement report form

Bearing:	<u>6320 C3</u>
Bearing position:	<u>RIPARAZIONE SENS CALOTA LHO VENTOLA (B)</u>
Application:	<u>Lenox SOMER</u>

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place			
	a	b	(c)	(d)	a	b	(c)	(d)
	Distance L				Distance L			
	Diameter d				Diameter D			
1					<u>215,010</u>			
2								
3								
4								
	Calculated mean: (1+2+3+4)/4				Calculated mean: (1+2+3+4)/4			

Remarks:

Date: 3-12-21

Checked by: L. Amelio



SKF



R.E.M. s.r.l.

Via Ferruccia, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email: info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Rägister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commesso: 2021/0624

Measurement report form

NUM. REM. 15503

Bearing: R/U 320 EC

Bearing position: RIPARAZIONE SEDS CALOTA LATO GIUNTO (A)

Application: LEROY SOMER

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place			
	a	b	(c)	(d)	a	b	(c)	(d)
	Distance L				Distance L			
	Diameter d				Diameter D			
1					<u>215,010</u>			
2								
3								
4								
	Calculated mean: (1+2+3+4)/4				Calculated mean: (1+2+3+4)/4			

Remarks:

Date: 3-12-21 Checked by: L. Amodeo



SKF



R.E.M. s.r.l.

Via Ferruccia, 16/a – 03010 Patrica (FR)

Tel. 0775 830116 – Fax 0775 839345

Email: rem-motori@messaggipec.it - Email : info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Ragister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commesso: 2021/0626

Measurement report form

NUM. REM. 15503

Bearing:	<u>NU 320 EC</u>
Bearing position:	<u>RIPARAZIONE SEDE SU ASSE LATO GIUNTO</u>
Application:	<u>Lenovo Server</u>

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place			
	a	b	(c)	(d)	a	b	(c)	(d)
	Distance L				Distance L			
	Diameter d				Diameter D			
1								
2	<u>100,010</u>							
3								
4								
	Calculated mean: (1+2+3+4)/4				Calculated mean: (1+2+3+4)/4			


Remarks:

Date:

3-12-21

Checked by:

A. Amelio



SKF