



R.E.M. s.r.l.

Via Ferruccia, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email: info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Räregister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commessa: 2022/0222

NUM. REM...5338.....

Measurement report form

Bearing:

Bearing position:

Application:

MICROMATIK 160 MV

RIPARAZIONE PARAGNASSO INTERMO LATO GIUNTO

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place			
	a	b	(c)	(d)	a	b	(c)	(e)
	Distance L				Distance L			
	Diameter d				Diameter D			
1								
2								
3								
4								
	Calculated mean: $(1+2+3+4)/4$				Calculated mean: $(1+2+3+4)/4$			

Remarks:

Date:

24/03/22

Checked by:

SC



SKF



R.E.M. s.r.l.

Via Ferruccia, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email: info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Räregister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commessa: 2022/0222

NUM. REM...5338.....

Measurement report form

Bearing:	
Bearing position:	
Application:	MICRO MASIK 160 MV

RIPARAZIONE PARAGNASSO ESTERNO LATO GIUNTO

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place			
	a	b	(c)	(d)	a	b	(c)	(d)
	Distance L				Distance L			
	Diameter d				Diameter D			
1								
2								
3								
4								
	Calculated mean: $(1+2+3+4)/4$				Calculated mean: $(1+2+3+4)/4$			

Remarks:

Date:


26/03/22

Checked by:

SE



SKF



R.E.M. s.r.l.

Via Ferruccia, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email: info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Rägister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commessa: 2022/0222

NUM. REM. 5338

M.

Bearing: 6210 2RS1/C3


Bearing position: RIP. SED. CALOTA LAD. GIUNTO

Application: MICRO HATIK 160 HV

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place		
	a	b	(c)	(d)	a	b	(c)
	Distance L				Distance L		
	Diameter d				Diameter D		
1					<u>90,020</u>		
2							
3							
4							
	Calculated mean: (1+2+3+4)/4				Calculated mean: (1+2+3+4)/4		

26/03/22

Sc SKF



R.E.M. s.r.l.

Via Ferruccia, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email: info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Rägister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commessa: 2022/0222

NUM. REM. 5338

M

Bearing: 6208 2RS1/C3

Bearing position: RIP. SUEDE CALOTTA LATO COLLETTORI

Application: MICROMATIK 160 MV

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place		
	a	b	(c)	(d)	a	b	(c)
	Distance L				Distance L		
	Diameter d				Diameter D		
1					80,010		
2							
3							
4							
	Calculated mean: (1+2+3+4)/4				Calculated mean: (1+2+3+4)/4		

26/03/22

SC SKF



R.E.M. s.r.l.

Via Ferruccio, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email: info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Räregister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commessa: 2022/0222

NUM. REM. 5338

Measurement report form

Bearing:	
Bearing position:	
Application:	MICROMATIK 160 HV

RIPARAZIONI ENINAHBE LE SUBI PARAGRASSI SU
ASSE INDOTTO LATO GIUNTO
(VEDI PARAGRASSI)

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place			
	a	b	(c)	(d)	a	b	(c)	(e)
	Distance L				Distance L			
	Diameter d				Diameter D			
1								
2								
3								
4								
	Calculated mean: $(1+2+3+4)/4$				Calculated mean: $(1+2+3+4)/4$			

Remarks:

Date:

24/03/22

Checked by:

SC



SKF