



R.E.M. s.r.l.

Via Ferruccia, 16/a – 03010 Patrica (FR)

Tel. 0775 830116 – Fax 0775 839345

Email: rem-motori@messaggipec.it - Email : info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Rägister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commessa: 20220070
NUM. REM.....15621.....

Measurement report form

Bearing: CUSCINETTO 2219 EC

Bearing position: RIP. SEDE CALOTTA LATO GIUNTO

Application: MOTORE SENZA TARGA K.110

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place			
	a	b	(c)	(d)	a	b	(c)	(d)
	Distance L				Distance L			
	Diameter d				Diameter D			
1					<u>170,010</u>			
2								
3								
4								
	Calculated mean: (1+2+3+4)/4				Calculated mean: (1+2+3+4)/4			

Remarks:

Date:

01/03/22

Checked by:



SKF



R.E.M. s.r.l.

Via Ferruccia, 16/a – 03010 Patrica (FR)

Tel. 0775 830116 – Fax 0775 839345

Email: rem-motori@messaggipec.it - Email : info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Rägister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commessa: 20220070
NUM. REM. 15621

Measurement report form

Bearing: CUSCINETTO 6219 C3

Bearing position: RIP. SEDE CALOTTA LATO VENTOLA

Application: MOTORE SENZA TARGA KW.180

Measuring directions	Shaft Measurement values [mm] at place				Housing Measurement values [mm] at place			
	a	b	(c)	(d)	a	b	(c)	(d)
	Distance L				Distance L			
	Diameter d				Diameter D			
1					<u>170,010</u>			
2								
3								
4								
	Calculated mean: (1+2+3+4)/4				Calculated mean: (1+2+3+4)/4			

Remarks:

Date:

01/03/22

Checked by:



20220070

SKF