

MOD

10 MOTOR

15721

COMPILORE

A. A. Medos

[illegible]

VISTO ACQUISTI



R.E.M. s.r.l.

Via Ferruccia, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email: info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-R&G
EN ISO 900
IQ-0310-

Misurazioni Sede

Commissio: 2022/0389

NUM. REM. 1571

Measurement report form

Bearing:

Bearing position:

Application:

RIPARAZIONE: INDOVO:

~~38~~

38 Ø PILEGGIA

10 mm CHIAROTA

Measuring directions	Shaft Measurement values (mm) at place				Housing Measurement values (mm) at place			
	a	b	(c)	(d)	a	b	(c)	(d)
	Distance L				Distance L			
	Diameter d				Diameter D			
1								
2								
3								
4								
	Calculated mean: $(1+2+3+4)/4$				Calculated mean: $(1+2+3+4)/4$			

Remarks:


Date: 31-05-22

Checked by:

V. Aquilino



SKF



R.E.M. s.r.l.

Via Ferruccia, 16/a - 03010 Patrica (FR)

Tel. 0775 830116 - Fax 0775 839345

Email: rem-motori@messaggipec.it - Email : info@rem-motori.it

Email: amministrazione@rem-motori.it



Dasa-Rägister
EN ISO 9001:2008
IQ-0310-05

Misurazioni Sede

Commessa

2022/0389

NUM. REM.

15421

Bearing:


6206 2RS1 C3

Bearing position:

RIP. SEDE CUSCINETTO CALOTA LATO OPP. COILANDO

Application:

1 RT 6102 BAP71



Measuring directions	Shaft Measurement values (mm) at place				Housing Measurement values (mm) at place		
	a	b	(c)	(d)	a	b	(c)
	Distance L				Distance L		
	Diameter d				Diameter D		
1					62,010		
2							
3							
4							
	Calculated mean: (1+2+3+4)/4				Calculated mean: (1+2+3+4)/4		

SKF

31-05-22

V. f. m. e. s.