

Descrizione	Diam.	Lungh.	Quantità	Kg. Teorici
BARRA TONDA BRONZO CUSN8 EN 12163 TRAFILATO	9	300	1,0	0,2
BRONZO BARRA TONDA CUAL10NI5FE4 EN 12163 CW307G	12	750	1,0	0,6
BARRA TONDA BRONZO CUSN8 EN 12163 TRAFILATO	14	1000	2,0	2,8
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	15	1000	1,0	1,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	15	97	1,0	0,4
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	15	260	8,0	3,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	16	500	1,0	0,9
BRONZO BARRA TONDA CUAL10NI5FE4 EN 12163 CW307G	16	840	1,0	1,3
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	20	1000	1,0	3,0
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	25	1000	1,0	4,6
BARRA TONDA BRONZO CUSN8 EN 12163 TRAFILATO	25	1000	1,0	4,4
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	26	195	1,0	0,8
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	30	700	1,0	4,8
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	30	1000	1,0	4,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	30	200	1,0	1,3
BRONZO BARRA TONDA FUSO IN C.C. RULL.RADD. CUSN12 EN 1982	30	230	1,0	1,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	31	790	1,0	5,3
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	31	750	1,0	4,7
BRONZO BARRA TONDA FUSO IN C.C. RULL.RADD. CUSN12 EN 1982	35	800	1,0	7,3
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	35	400	1,0	2,9
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	35	590	1,0	4,5
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	35	1000	1,0	6,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	36	185	1,0	1,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	36	395	1,0	3,6
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	37	490	1,0	3,9
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	37	595	1,0	4,9
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	37	800	1,0	6,4
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	37	1000	1,0	8,0
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	40	500	1,0	5,9
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	40	1000	1,0	11,9
BRONZO BARRA TONDA FUSO IN C.C. RULL.RADD. CUSN12 EN 1982	40	1000	2,0	23,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	45	900	1,0	13,4
BRONZO BARRA TONDA FUSO IN C.C. RULL.RADD. CUSN12 EN 1982	45	250	1,0	3,7
BRONZO BARRA TONDA FUSO IN C.C. RULL.RADD. CUSN12 EN 1982	45	500	1,0	7,3
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	46	445	1,0	6,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	50	500	1,0	8,9
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	50	710	1,0	13,0
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982 RULLATO E RAI	50	100	1,0	1,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	51	225	1,0	4,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	51	400	1,0	7,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	55	230	1,0	5,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	55	300	1,0	6,6
BRONZO BARRA TONDA FUSO IN C.C. RULL.RADD. CUSN12 EN 1982	55	420	1,0	9,3
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	55	220	1,0	3,9
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	56	140	1,0	3,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	56	300	1,0	6,6
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	57	500	1,0	9,9
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	60	340	1,0	8,9
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982 RULLATO E RAI	60	400	1,0	8,8
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982 RULLATO E RAI	60	700	1,0	15,4
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	60	265	1,0	5,8
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	62	800	1,0	18,0
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	62	490	1,0	11,0

BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	65	800	1,0	23,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	66	930	1,0	28,4
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	66	900	1,0	22,9
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	70	570	1,0	20,2
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	70	1000	1,0	34,8
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	70	840	1,0	24,1
BARRA TONDA BRONZO CUSN8P EN 12163 TRAFILATO	70	1000	1,0	34,3
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	75	570	1,0	23,1
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	75	310	1,0	10,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	76	300	1,0	12,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	76	455	1,0	18,4
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	80	310	1,0	14,3
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	81	65	1,0	3,1
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	81	330	1,0	12,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	82	935	1,0	44,0
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	85	106	1,0	4,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	90	432	1,0	25,1
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	90	195	1,0	9,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	91	530	1,0	30,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	91	615	1,0	35,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	95	770	1,0	49,8
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	100	350	1,0	25,0
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	100	400	1,0	28,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	100	310	1,0	21,7
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	100	260	1,0	18,6
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	100	475	1,0	34,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	102	700	1,0	51,0
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	102	300	1,0	21,9
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	102	210	1,0	12,8
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	102	250	1,0	15,9
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	102	870	1,0	55,2
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	102	70	1,0	4,3
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	105	1000	1,0	78,8
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	110	865	1,0	74,9
BRONZO BARRA TONDA FUSO IN C.C. CUSN10PB10 EN 1982	110	800	1,0	86,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	112	690	1,0	60,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	112	110	1,0	9,7
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	112	450	1,0	33,0
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	120	60	1,0	6,2
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	120	10	1,0	1,0
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	120	170	1,0	17,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	122	590	1,0	61,5
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	122	265	1,0	23,1
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	122	390	1,0	35,4
BRONZO BARRA TONDA CUAL10NI5FE4 EN 12163 CW307G	122	250	1,0	21,8
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	127	200	1,0	22,6
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	131	185	1,0	18,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	132	480	1,0	58,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	132	35	1,0	4,3
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	132	100	1,0	12,2
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	132	205	1,0	20,9
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	132	1000	1,0	102,0
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	132	515	1,0	52,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	135	407	1,0	52,7
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	136	38	1,0	4,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	140	120	1,0	16,7
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	140	175	1,0	24,4
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	140	170	1,0	19,5
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	140	330	1,0	37,8
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	142	310	1,0	43,8

BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	146	380	1,0	47,4
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	150	395	1,0	63,1
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	150	42	1,0	6,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	152	25	1,0	4,0
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	152	300	1,0	48,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	152	630	1,0	101,9
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	152	955	1,0	154,5
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	152	33	1,0	5,3
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	152	735	1,0	99,3
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	152	495	1,0	66,9
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	155	30	1,0	5,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	156	34	1,0	5,8
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	160	105	1,0	19,1
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	160	800	1,0	143,4
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	162	860	1,0	157,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	162	148	1,0	27,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	162	80	1,0	14,7
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	162	1000	1,0	161,0
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	170	34	1,0	7,0
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	172	215	1,0	44,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	173	255	1,0	53,4
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	180	52	1,0	9,9
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	182	650	1,0	154,6
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	182	590	1,0	119,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	183	425	1,0	99,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	190	810	1,0	206,9
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	192	295	1,0	63,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	193	420	1,0	109,5
BRONZO BARRA TONDA FUSA IN C.C. CUSN12 EN 1982	200	30	1,0	8,5
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	200	595	1,0	139,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	202	82	1,0	23,4
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	202	10	2,0	3,1
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	202	17	1,0	4,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	203	250	1,0	72,1
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	207	95	1,0	28,5
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	220	30	1,0	8,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	222	273	1,0	94,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN11PB2 EN 1982	222	10	1,0	3,5
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	223	280	1,0	81,4
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	230	55	1,0	17,0
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	232	30	1,0	9,4
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	233	50	1,0	19,0
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	240	35	1,0	11,8
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	242	230	1,0	78,8
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	242	148	1,0	50,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN5ZN5PB5 EN 1982	252	50	1,0	22,2
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	252	95	1,0	42,2
BRONZO BARRA TONDA FUSO IN C.C. CUAL11FE4NI4 UNI 5275	260	125	1,0	49,4
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	263	53	1,0	25,7
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	263	220	1,0	110,9
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	263	520	1,0	255,0
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	278	72	1,0	32,5
BRONZO BARRA TONDA FUSO IN C.C. CUAL10FE5NI5 EN 1982	280	300	1,0	137,6
BRONZO BARRA TONDA FUSO IN C.C. CUSN7ZN4PB7 EN 1982	283	140	1,0	78,5
BRONZO BARRA TONDA FUSO IN C.C. CUSN12 EN 1982	283	12	1,0	6,7